

# SAFETY DATA SHEET

# Armor All® Protectant Wipes - Gloss Finish

According to Regulation (EC) No 1907/2006, Annex II, as amended.

SECTION 1: Identification of t	SECTION 1: Identification of the substance/mixture and of the company/undertaking	
1.1. Product identifier		
Product name	Armor All® Protectant Wipes - Gloss Finish	
Product number	36030, 36020	
1.2. Relevant identified uses of	of the substance or mixture and uses advised against	
Identified uses	Cleans and protects vinyl, rubber and plastics.	
Uses advised against	No specific uses advised against are identified.	
1.3. Details of the supplier of t	he safety data sheet	
Supplier	Energizer Trading Ltd Sword House Totteridge Road High Wycombe HP13 6DG UK Tel: +44 845 602 1995 euregulatory@energizer.com	
1.4. Emergency telephone nu	mber	
Emergency telephone	+44 1495 350234 Monday - Thursday: 0830 - 1700 Friday: 0830 - 1530	
National emergency telephone number	Product information has been submitted to the UK National Poisons Information Service (NPIS) and is accessible to medical health professionals.	
SECTION 2: Hazards identification		
2.1. Classification of the subst	ance or mixture	
Classification (EC 1272/2008)		
Physical hazards	Not Classified	
Health hazards	Not Classified	
Environmental hazards	Not Classified	
2.2. Label elements		
Hazard statements	NC Not Classified	
Precautionary statements	P102 Keep out of reach of children.	
Supplemental label information	Contains a preservative (IODOPROPYNYL BUTYLCARBAMATE, DMDM HYDANTOIN) to control microbial deterioration. May produce an allergic reaction.	
Detergent labelling	< 5% non-ionic surfactants, < 5% perfumes, < 5% polycarboxylates, Contains DMDM HYDANTOIN, IODOPROPYNYL BUTYLCARBAMATE	
	1/9	

#### 2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

This product does not conta	In any substances classified as PBT of VPVB.
SECTION 3: Composition/in	formation on ingredients
3.2. Mixtures	
Composition comments	No classified ingredients, or those having occupational exposure limits, present above the levels of disclosure.
SECTION 4: First aid measu	ires
4.1. Description of first aid n	ieasures
General information	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing.
Inhalation	If throat irritation or coughing persists, proceed as follows. Remove person to fresh air and keep comfortable for breathing. Get medical attention if symptoms are severe or persist.
Ingestion	Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person. Do not induce vomiting unless under the direction of medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if symptoms are severe or persist.
Skin contact	Brush off loose particles from skin. Wash with plenty of water. Get medical attention if symptoms are severe or persist after washing.
Eye contact	Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if symptoms are severe or persist after washing.
4.2. Most important symptor	ns and effects, both acute and delayed
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	Prolonged or repeated exposure to vapours in high concentrations may cause the following adverse effects: Drowsiness. Dizziness.
Ingestion	Due to the physical nature of this product, it is unlikely that ingestion will occur. May cause discomfort if swallowed.
Skin contact	Due to the physical nature of this product, exposure by this route is unlikely. Prolonged skin contact may cause redness and irritation.
Eye contact	Due to the physical nature of this product, exposure by this route is unlikely. May cause irritation.
4.3. Indication of any immed	liate medical attention and special treatment needed
Notes for the doctor	Treat symptomatically. Keep affected person under observation.
SECTION 5: Firefighting me	asures
5.1. Extinguishing media	
Suitable extinguishing media	<b>a</b> Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire- extinguishing media suitable for the surrounding fire.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
5.2. Special hazards arising	from the substance or mixture
Specific hazards	Containers can burst violently or explode when heated, due to excessive pressure build-up.

Hazardous combustion products	Thermal decomposition or combustion products may include the following substances: Oxides of carbon. Toxic gases or vapours.	
5.3. Advice for firefighters		
Protective actions during firefighting	Use water to keep fire exposed containers cool and disperse vapours.	
Special protective equipment for firefighters	Use protective equipment appropriate for surrounding materials. Wear positive-pressure self- contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.	
SECTION 6: Accidental release	e measures	
6.1. Personal precautions, pro	tective equipment and emergency procedures	
Personal precautions	Wear protective clothing as described in Section 8 of this safety data sheet. Eliminate all ignition sources if safe to do so. Avoid contact with skin and eyes.	
6.2. Environmental precautions		
Environmental precautions	Avoid discharge into drains or watercourses or onto the ground.	
6.3. Methods and material for containment and cleaning up		
Methods for cleaning up	Wear protective clothing as described in Section 8 of this safety data sheet. No smoking, sparks, flames or other sources of ignition near spillage. Eliminate all ignition sources if safe to do so. Do not touch or walk into spilled material. Absorb in vermiculite, dry sand or earth and place into containers. Use only non-sparking tools. Containers with collected spillage must be properly labelled with correct contents and hazard symbol.	
6.4. Reference to other section	ns	
Reference to other sections	See Section 11 for additional information on health hazards. For waste disposal, see Section 13.	
SECTION 7: Handling and sto	rage	
7.1. Precautions for safe hand	ling	
Usage precautions	Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Ground/bond container and receiving equipment. Take precautionary measures against static discharges. Keep away from heat, sparks and open flame. Provide adequate ventilation.	
Advice on general occupational hygiene	Avoid contact with eyes and prolonged skin contact. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site. Do not eat, drink or smoke when using this product.	
7.2. Conditions for safe storag	7.2. Conditions for safe storage, including any incompatibilities	
Storage precautions	Store in a cool and well-ventilated place. Keep away from heat, sparks and open flame. Take precautionary measures against static discharges.	
7.3. Specific end use(s)		
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.	
SECTION 8: Exposure controls/Personal protection		
8.1. Control parameters Occupational exposure limits		
toluene		

Long-term exposure limit (8-hour TWA): WEL 50 ppm 191 mg/m<sup>3</sup> Short-term exposure limit (15-minute): WEL 100 ppm 384 mg/m<sup>3</sup> Sk

WEL = Workplace Exposure Limit. Sk = Can be absorbed through the skin.

#### 2,2',2"-nitrilotriethanol (CAS: 102-71-6)

DNEL	Workers - Inhalation; Long term systemic effects: 5 mg/m <sup>3</sup> Workers - Inhalation; Long term local effects: 5 mg/m <sup>3</sup> Workers - Dermal; Long term systemic effects: 6.3 mg/kg/day General population - Inhalation; Long term systemic effects: 1.25 mg/m <sup>3</sup> General population - Inhalation; Long term local effects: 1.25 mg/m <sup>3</sup> General population - Dermal; Long term systemic effects: 3.1 mg/kg/day General population - Oral; Long term systemic effects: 13 mg/kg/day
PNEC	Fresh water; 0.32 mg/l marine water; 0.032 mg/l STP; 10 mg/l Sediment (Freshwater); 1.7 mg/kg Sediment (Marinewater); 0.17 mg/kg Soil; 0.151 mg/kg
8.2. Exposure controls	
Protective equipment	

# 8. P



Appropriate engineering controls	Provide adequate ventilation. All handling should only take place in well-ventilated areas. Avoid inhalation of vapours and spray/mists. Use explosion-proof electrical, ventilating and lighting equipment.
Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Unless the assessment indicates a higher degree of protection is required, the following protection should be worn: Wear tight-fitting, chemical splash goggles or face shield.
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. Frequent changes are recommended.
Other skin and body protection	Wear appropriate clothing to prevent repeated or prolonged skin contact.
Hygiene measures	Do not smoke in work area. Wash promptly with soap and water if skin becomes contaminated. Wash at the end of each work shift and before eating, smoking and using the toilet.
Respiratory protection	Respiratory protection complying with an approved standard should be worn if a risk assessment indicates inhalation of contaminants is possible. Ensure all respiratory protective equipment is suitable for its intended use and is 'CE'-marked.
Environmental exposure controls	Keep container tightly sealed when not in use.
SECTION 9: Physical and c	hemical properties

9.1. Information on basic phys	
Appearance	Solid.
Colour	White.
Odour	Characteristic.
Odour threshold	Not determined.
рН	pH (concentrated solution): 7.75 - 8.75
Melting point	Not determined.
Initial boiling point and range	Not determined.
Flash point	Not determined.
Evaporation rate	Not determined.
Evaporation factor	Not determined.
Flammability (solid, gas)	Not determined.
Upper/lower flammability or explosive limits	Not determined.
Vapour pressure	Not determined.
Vapour density	Not determined.
Relative density	0.9804 - 1.0204 @ 20°C/68°F
Bulk density	Not determined.
Partition coefficient	Not determined.
Auto-ignition temperature	Not determined.
Decomposition Temperature	Not determined.
Viscosity	100 - 250 cP @ 20°C
Explosive properties	Not considered to be explosive.
Oxidising properties	The mixture itself has not been tested but none of the ingredient substances meet the criteria for classification as oxidising.
9.2. Other information	
Other information	No information required.
SECTION 10: Stability and reactivity	
10.1. Reactivity	
Reactivity	There are no known reactivity hazards associated with this product.
10.2. Chemical stability	
Stability	Stable at normal ambient temperatures and when used as recommended.
10.3. Possibility of hazardous	reactions
Possibility of hazardous reactions	Will not polymerise.
10.4. Conditions to avoid	

#### 9.1. Information on basic physical and chemical properties

Conditions to avoid	Keep away from heat, sparks and open flame. Avoid excessive heat for prolonged periods of time.
10.5. Incompatible materials	
Materials to avoid	None known.
10.6. Hazardous decompositio	on products
Hazardous decomposition products	Thermal decomposition or combustion products may include the following substances: Carbon dioxide (CO2). Carbon monoxide (CO). Toxic gases or vapours.
SECTION 11: Toxicological int	formation
11.1. Information on toxicologi	cal effects
Acute toxicity - oral Notes (oral LD₅o)	Based on available data the classification criteria are not met.
Acute toxicity - dermal Notes (dermal LD₅o)	Based on available data the classification criteria are not met.
Acute toxicity - inhalation Notes (inhalation LC <sub>50</sub> )	Based on available data the classification criteria are not met.
Skin corrosion/irritation Skin corrosion/irritation	Based on available data the classification criteria are not met.
Serious eye damage/irritation Serious eye damage/irritation	Based on available data the classification criteria are not met.
Respiratory sensitisation Respiratory sensitisation	Based on available data the classification criteria are not met.
Skin sensitisation Skin sensitisation	Based on available data the classification criteria are not met.
Germ cell mutagenicity Genotoxicity - in vitro	Based on available data the classification criteria are not met.
Genotoxicity - in vivo	Based on available data the classification criteria are not met.
Carcinogenicity Carcinogenicity	Based on available data the classification criteria are not met.
Reproductive toxicity Reproductive toxicity - fertility	Based on available data the classification criteria are not met.
Specific target organ toxicity -	
STOT - single exposure	Based on available data the classification criteria are not met.
Specific target organ toxicity -	
STOT - repeated exposure	Based on available data the classification criteria are not met.
Aspiration hazard Aspiration hazard	Based on available data the classification criteria are not met.
SECTION 12: Ecological information	
12.1. Toxicity	

12.1. Toxicity

Toxicity	Not considered toxic to fish. However, large or frequent spills may have hazardous effects on the environment.
12.2. Persistence and degrada	ability
Persistence and degradability	
12.3. Bioaccumulative potentia	al
Bioaccumulative potential	– No data available on bioaccumulation.
Partition coefficient	Not determined.
12.4. Mobility in soil	
Mobility	The product is partly soluble in water and may spread in the aquatic environment.
12.5. Results of PBT and vPvI	3 assessment
Results of PBT and vPvB assessment	This product does not contain any substances classified as PBT or vPvB.
12.6. Other adverse effects	
Other adverse effects	Not determined.
SECTION 13: Disposal consid	lerations
13.1. Waste treatment method	
General information	Dispose of waste product or used containers in accordance with local regulations
SECTION 14: Transport inform	nation
General	The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).
14.1. UN number	
Not applicable.	
14.2. UN proper shipping nam	e
Not applicable.	
14.3. Transport hazard class(e	es)
No transport warning sign requ	uired.
14.4. Packing group	
Not applicable.	
14.5. Environmental hazards	
Environmentally hazardous substance/marine pollutant No.	
14.6. Special precautions for u	iser
Not applicable.	
14.7. Transport in bulk accord	ing to Annex II of MARPOL and the IBC Code
Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code	
SECTION 15: Regulatory info	mation

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations	EH40/2005 Workplace exposure limits.
C a R C C	Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended). Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). Commission Regulation (EU) No 2015/830 of 28 May 2015.

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet	<ul> <li>ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.</li> <li>RID: European Agreement concerning the International Carriage of Dangerous Goods by Rail.</li> <li>IMDG: International Maritime Dangerous Goods.</li> <li>IATA: International Air Transport Association.</li> <li>ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways.</li> <li>ATE: Acute Toxicity Estimate.</li> <li>DNEL: Derived No Effect Level.</li> <li>LCso: Lethal Concentration to 50 % of a test population.</li> <li>LDso: Lethal Dose to 50% of a test population (Median Lethal Dose).</li> <li>PBT: Persistent, Bioaccumulative and Toxic substance.</li> <li>vPvB: Very Persistent and Very Bioaccumulative.</li> <li>BCF: Bioconcentration Factor.</li> </ul>
Classification procedures according to Regulation (EC) 1272/2008	Not classified.: Calculation method.
Revision comments	Section 1: Identification of the substance/mixture and of the company/undertaking // 1.3. Details of the supplier of the safety data sheet.
Revision date	19/03/2020
Revision	6
Supersedes date	22/02/2018
SDS number	261

The information supplied here is accurate to the best knowledge and belief of Energizer Trading Ltd, it is however, not intended as a warranty or representation, and should not be construed as such, for which Energizer Trading Ltd assumes any legal responsibility. Any information or advice obtained from Energizer Trading Ltd other than by means of this publication, and whether relating to Energizer Trading Ltd's products or other materials is also given in good faith. It remains at all times the responsibility of the customer, and user, to ensure that the materials are suitable for the particular purpose intended. Materials not manufactured, or supplied, by Energizer Trading Ltd when used instead of, or in conjunction with materials supplied by Energizer Trading Ltd, it is the customer's responsibility to ensure that all technical, and other information related to such materials is obtained from the manufacturer or supplier. Energizer Trading Ltd accepts no liability for the data contained within this document, as the information herein may be applied under conditions beyond our control, and in situations with which we may be unfamiliar. The information contained within this document is furnished upon condition that the customer and user of this product makes his own determination of the suitability of the product for his particular purpose.