



SAFETY DATA SHEET

AC Pro Auto Air-Con Cleaner

The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended).

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name AC Pro Auto Air-Con Cleaner
Product number 23150

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Refreshing and cleaning of automotive air conditioning and ventilation system.
Uses advised against No specific uses advised against are identified.

1.3. Details of the supplier of the safety data sheet

Supplier Energizer Trading Ltd
 Sword House
 Totteridge Road
 High Wycombe
 HP13 6DG
 UK
 Tel: +44 845 602 1995
 euregulatory@energizer.com

1.4. Emergency telephone number

Emergency telephone +44 1495 350234
 Monday - Thursday: 0830 - 1700
 Friday: 0830 - 1530

National emergency telephone number Product information has been submitted to the UK National Poisons Information Service (NPIS) and is accessible to medical health professionals.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (SI 2019 No. 720)

Physical hazards Aerosol 1 - H222, H229
Health hazards Eye Irrit. 2 - H319
Environmental hazards Aquatic Chronic 3 - H412

Physicochemical Containers can burst violently or explode when heated, due to excessive pressure build-up. When sprayed on a naked flame or any incandescent material the aerosol vapours can be ignited.

2.2. Label elements

AC Pro Auto Air-Con Cleaner

Hazard pictograms



Signal word

Danger

Hazard statements

EUH208 Contains tetramethyl acetyloctahydronaphthalenes, cedryl methyl ketone, hydroxyisohexyl 3-cyclohexene carboxaldehyde. May produce an allergic reaction.
 H222 Extremely flammable aerosol.
 H229 Pressurised container: may burst if heated.
 H319 Causes serious eye irritation.
 H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P102 Keep out of reach of children.
 P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
 P211 Do not spray on an open flame or other ignition source.
 P251 Do not pierce or burn, even after use.
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.
 P501 Dispose of contents/ container in accordance with national regulations.

Detergent labelling

≥ 30% aliphatic hydrocarbons, ≥ 30% disinfectants, < 5% perfumes, Contains LINALOOL, HYDROXYISOHEXYL 3-CYCLOHEXENE CARBOXALDEHYDE

Supplementary precautionary statements

P264 Wash contaminated skin thoroughly after handling.
 P337+P313 If eye irritation persists: Get medical advice/ attention.

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hydrocarbons, C3-4-rich, petroleum distillate CAS number: 68512-91-4 EC number: 270-990-9 Contains <0.1% w/w 1,3-butadiene (CAS: 106-99-0).	25 - <50%
Classification Flam. Gas 1A - H220 Press. Gas (Liq.) - H280	
ethanol CAS number: 64-17-5 EC number: 200-578-6	25 - <50%
Classification Flam. Liq. 2 - H225 Eye Irrit. 2 - H319	

AC Pro Auto Air-Con Cleaner

1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran	0.25 - <0.5%
CAS number: 1222-05-5 EC number: 214-946-9 M factor (Acute) = 1 M factor (Chronic) = 1	
Classification Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410	
tetramethyl acetyloctahydronaphthalenes	0.25 - <0.5%
CAS number: 54464-57-2 EC number: 259-174-3 M factor (Chronic) = 1	
Classification Skin Irrit. 2 - H315 Skin Sens. 1 - H317 Aquatic Chronic 1 - H410	
1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one	0.025 - <0.25%
CAS number: 1506-02-1 EC number: 216-133-4 M factor (Acute) = 1 M factor (Chronic) = 1	
Classification Acute Tox. 4 - H302 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410	
cedryl methyl ketone	0.025 - <0.25%
CAS number: 32388-55-9 EC number: 251-020-3 M factor (Acute) = 1 M factor (Chronic) = 1	
Classification Skin Sens. 1B - H317 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410	
2,6-di-tert-butyl-p-cresol	<0.025%
CAS number: 128-37-0 EC number: 204-881-4 M factor (Acute) = 1 M factor (Chronic) = 1	
Classification Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410	

The full text for all hazard statements is displayed in Section 16.

SECTION 4: First aid measures

AC Pro Auto Air-Con Cleaner

4.1. Description of first aid measures

Inhalation	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Get medical attention if any discomfort continues.
Ingestion	Rinse mouth thoroughly with water. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Keep affected person under observation. Do not induce vomiting unless under the direction of medical personnel. Get medical attention if any discomfort continues.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. Do not use organic solvents. Get medical attention if any discomfort continues.
Eye contact	Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	Vapours may cause headache, fatigue, dizziness and nausea.
Ingestion	May cause discomfort if swallowed.
Skin contact	Prolonged skin contact may cause redness and irritation. May cause skin sensitisation or allergic reactions in sensitive individuals.
Eye contact	Prolonged contact may cause redness and/or tearing.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
-----------------------------	---

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	Extinguish with the following media: Dry chemicals, sand, dolomite etc. Carbon dioxide (CO ₂). Water spray, fog or mist.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards	Containers can burst violently or explode when heated, due to excessive pressure build-up. Bursting aerosol containers may be propelled from a fire at high speed.
Hazardous combustion products	Thermal decomposition or combustion products may include the following substances: Oxides of carbon. Toxic gases or vapours.

5.3. Advice for firefighters

Protective actions during firefighting	Use water to keep fire exposed containers cool and disperse vapours.
Special protective equipment for firefighters	Use protective equipment appropriate for surrounding materials. Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Wear protective clothing as described in Section 8 of this safety data sheet. Avoid inhalation of vapours and contact with skin and eyes.
-----------------------------	---

6.2. Environmental precautions

AC Pro Auto Air-Con Cleaner

Environmental precautions Avoid discharge into drains or watercourses or onto the ground.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Wear protective clothing as described in Section 8 of this safety data sheet. No smoking, sparks, flames or other sources of ignition near spillage. Eliminate all ignition sources if safe to do so. Do not touch or walk into spilled material. Absorb in vermiculite, dry sand or earth and place into containers. Use only non-sparking tools. Containers with collected spillage must be properly labelled with correct contents and hazard symbol.

6.4. Reference to other sections

Reference to other sections See Section 11 for additional information on health hazards. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from heat, sparks and open flame. Provide adequate ventilation.

Advice on general occupational hygiene Avoid contact with eyes and prolonged skin contact. Good personal hygiene procedures should be implemented. Do not eat, drink or smoke when using this product. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in a cool and well-ventilated place. Store at temperatures not exceeding 50°C/122°F.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

Usage description

Application:

1. Shake well before use. Start engine and set A/C onto internal circulation at full power. Open all vents.
2. Ensure front passenger seat is pushed and tilted as far forward as possible. Place can on the floor, two thirds from front passenger seat, with nothing obstructing the spray pattern.
3. Activate the can by pressing down on the valve.
4. Close the door and make sure all windows are also closed.
5. Wait 10 minutes until the can is empty. Then switch off the A/C system and engine.
6. Open all doors and windows to ventilate the vehicle.

IMPORTANT: REMOVE ALL PEOPLE/PETS FROM VEHICLE DURING PRODUCT USAGE.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

Hydrocarbons, C3-4-rich, petroleum distillate

Long-term exposure limit (8-hour TWA): WEL 600 ppm 1450 mg/m³

Short-term exposure limit (15-minute): WEL 750 ppm 1810 mg/m³

ethanol

Long-term exposure limit (8-hour TWA): WEL 1000 ppm 1920 mg/m³

2,6-di-tert-butyl-p-cresol

Long-term exposure limit (8-hour TWA): WEL 10 mg/m³

WEL = Workplace Exposure Limit.

AC Pro Auto Air-Con Cleaner

ethanol (CAS: 64-17-5)

DNEL Workers - Inhalation; Long term systemic effects: 950 mg/m³
Workers - Dermal; Long term systemic effects: 343 mg/kg/day
General population - Inhalation; Long term systemic effects: 114 mg/m³
General population - Dermal; Long term systemic effects: 206 mg/kg/day
General population - Oral; Long term systemic effects: 87 mg/kg/day

PNEC Fresh water; 0.96 mg/l
marine water; 0.79 mg/l
STP; 580 mg/l
Sediment (Freshwater); 3.6 mg/kg
Sediment (Marinewater); 2.9 mg/kg
Soil; 0.63 mg/kg

2,6-Dimethyloct-7-en-2-ol (CAS: 18479-58-8)

DNEL Workers - Inhalation; Long term systemic effects: 73.5 mg/m³
Workers - Dermal; Long term systemic effects: 20.8 mg/kg/day
General population - Inhalation; Long term systemic effects: 21.7 mg/m³
General population - Dermal; Long term systemic effects: 12.5 mg/kg/day
General population - Oral; Long term systemic effects: 12.5 mg/kg/day

PNEC Fresh water; 0.0278 mg/l
marine water; 0.00278 mg/l
STP; 10 mg/l
Sediment (Freshwater); 0.594 mg/kg
Sediment (Marinewater); 0.059 mg/kg
Soil; 0.103 mg/kg
Oral; 111 mg/kg

cedryl methyl ketone (CAS: 32388-55-9)

DNEL Workers - Inhalation; Long term systemic effects: 1.175 mg/m³
Workers - Dermal; Long term systemic effects: 0.333 mg/kg/day
General population - Inhalation; Long term systemic effects: 0.289 mg/m³
General population - Dermal; Long term systemic effects: 0.166 mg/kg/day
General population - Oral; Long term systemic effects: 0.166 mg/kg/day

PNEC Fresh water; 0.00174 mg/l
marine water; 0.000174 mg/l
STP; 10 mg/l
Sediment (Freshwater); 24.4 mg/kg
Sediment (Marinewater); 2.44 mg/kg
Soil; 4.87 mg/kg

Linalool (CAS: 78-70-6)

AC Pro Auto Air-Con Cleaner

DNEL	Workers - Inhalation; Long term systemic effects: 2.8 mg/m ³
	Workers - Inhalation; Short term systemic effects: 16.5 mg/m ³
	Workers - Dermal; Long term systemic effects: 2.5 mg/kg/day
	Workers - Dermal; Short term systemic effects: 5 mg/kg/day
	Workers - Dermal; Long term local effects: 3 mg/cm ²
	Workers - Dermal; Short term local effects: 3 mg/cm ²
	General population - Inhalation; Long term systemic effects: 0.7 mg/m ³
	General population - Inhalation; Short term systemic effects: 4.1 mg/m ³
	General population - Dermal; Long term systemic effects: 1.25 mg/kg/day
	General population - Dermal; Short term systemic effects: 23.5 mg/kg/day
	General population - Dermal; Long term local effects: 1.5 mg/cm ²
	General population - Dermal; Short term local effects: 1.5 mg/cm ²
General population - Oral; Long term systemic effects: 0.2 mg/kg/day	
General population - Oral; Short term systemic effects: 1.2 mg/kg/day	
PNEC	Fresh water; 0.2 mg/l
	marine water; 0.02 mg/l
	STP; 10 mg/l
	Sediment (Freshwater); 2.22 mg/kg
	Sediment (Marinewater); 0.222 mg/kg
	Soil; 0.327 mg/kg
Oral; 7.8 mg/kg	

linalyl acetate (CAS: 115-95-7)

DNEL	Workers - Inhalation; Long term systemic effects: 2.75 mg/m ³
	Workers - Dermal; Long term systemic effects: 2.5 mg/kg/day
	Workers - Dermal; Long term local effects: 8 mg/cm ²
	General population - Inhalation; Long term systemic effects: 0.68 mg/m ³
	General population - Dermal; Long term systemic effects: 1.25 mg/kg/day
	General population - Dermal; Long term local effects: 8 mg/cm ²
General population - Oral; Long term systemic effects: 0.2 mg/kg/day	
PNEC	Fresh water; 0.011 mg/l
	marine water; 0.001 mg/l
	STP; 10 mg/l
	Sediment (Freshwater); 0.609 mg/kg
	Sediment (Marinewater); 0.061 mg/kg
	Soil; 0.115 mg/kg

8.2. Exposure controls

Appropriate engineering controls

Provide adequate ventilation. All handling should only take place in well-ventilated areas. Avoid inhalation of vapours and spray/mists. Use explosion-proof electrical, ventilating and lighting equipment.

Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Unless the assessment indicates a higher degree of protection is required, the following protection should be worn: Wear tight-fitting, chemical splash goggles or face shield.

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. Frequent changes are recommended.

Other skin and body protection

Wear appropriate clothing to prevent repeated or prolonged skin contact.

AC Pro Auto Air-Con Cleaner

Hygiene measures	Do not smoke in work area. Wash promptly with soap and water if skin becomes contaminated. Wash at the end of each work shift and before eating, smoking and using the toilet.
Respiratory protection	Respiratory protection complying with an approved standard should be worn if a risk assessment indicates inhalation of contaminants is possible. Ensure all respiratory protective equipment is suitable for its intended use and is 'UKCA'-marked.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Aerosol.
Odour	Hydrocarbons. Characteristic.
Odour threshold	Not determined.
pH	Not determined.
Melting point	Not determined.
Initial boiling point and range	Not determined.
Flash point	Not determined.
Evaporation rate	Not determined.
Evaporation factor	Not determined.
Flammability (solid, gas)	Not determined.
Upper/lower flammability or explosive limits	Not determined.
Vapour pressure	Not determined.
Vapour density	Not determined.
Relative density	Not determined.
Bulk density	600 - 700 kg/m ³
Partition coefficient	Not determined.
Auto-ignition temperature	Not determined.
Decomposition Temperature	Not determined.
Viscosity	Not determined.
Explosive properties	Not considered to be explosive.
Oxidising properties	The mixture itself has not been tested but none of the ingredient substances meet the criteria for classification as oxidising.

9.2. Other information

Other information	No information required.
--------------------------	--------------------------

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity	There are no known reactivity hazards associated with this product.
-------------------	---

10.2. Chemical stability

Stability	Stable at normal ambient temperatures and when used as recommended.
------------------	---

AC Pro Auto Air-Con Cleaner

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions Will not polymerise.

10.4. Conditions to avoid

Conditions to avoid Avoid exposing aerosol containers to high temperatures or direct sunlight. Avoid heat, flames and other sources of ignition. Avoid the accumulation of vapours in low or confined areas.

10.5. Incompatible materials

Materials to avoid No specific material or group of materials is likely to react with the product to produce a hazardous situation.

10.6. Hazardous decomposition products

Hazardous decomposition products Does not decompose when used and stored as recommended. Decomposition at ambient temperatures may generate the following substances: Carbon dioxide (CO₂). Carbon monoxide (CO). Acrid smoke or fumes.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity - oral

Notes (oral LD₅₀) Based on available data the classification criteria are not met.

Acute toxicity - dermal

Notes (dermal LD₅₀) Based on available data the classification criteria are not met.

Acute toxicity - inhalation

Notes (inhalation LC₅₀) Based on available data the classification criteria are not met.

Skin corrosion/irritation

Animal data Based on available data the classification criteria are not met.

Serious eye damage/irritation

Serious eye damage/irritation Eye Irrit. 2 - H319

Respiratory sensitisation

Respiratory sensitisation Based on available data the classification criteria are not met.

Skin sensitisation

Skin sensitisation Based on available data the classification criteria are not met.

Germ cell mutagenicity

Genotoxicity - in vitro Based on available data the classification criteria are not met.

Genotoxicity - in vivo Based on available data the classification criteria are not met.

Carcinogenicity

Carcinogenicity Based on available data the classification criteria are not met.

Reproductive toxicity

Reproductive toxicity - fertility Based on available data the classification criteria are not met.

Specific target organ toxicity - single exposure

STOT - single exposure Based on available data the classification criteria are not met.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Based on available data the classification criteria are not met.

AC Pro Auto Air-Con Cleaner

Aspiration hazard

Aspiration hazard Based on available data the classification criteria are not met.

Toxicological information on ingredients.

Hydrocarbons, C3-4-rich, petroleum distillate

Germ cell mutagenicity

Genotoxicity - in vivo Chromosome aberration: Negative. REACH dossier information.

Reproductive toxicity

Reproductive toxicity - fertility One-generation study - NOAEC 10000 ppm, Inhalation, Rat P REACH dossier information.

Reproductive toxicity - development Developmental toxicity: - NOAEC: 10426 ppm, Inhalation, Rat REACH dossier information.

ethanol

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 10,470.0

Species Rat

Notes (oral LD₅₀) REACH dossier information.

ATE oral (mg/kg) 10,470.0

Acute toxicity - inhalation

Acute toxicity inhalation (LC₅₀ vapours mg/l) 124.7

Species Rat

Notes (inhalation LC₅₀) REACH dossier information.

ATE inhalation (vapours mg/l) 124.7

Skin corrosion/irritation

Animal data Dose: 0.2 ml, 24 hours, Rabbit Primary dermal irritation index: 0 / 8 REACH dossier information. Not irritating.

Serious eye damage/irritation

Serious eye damage/irritation Eye Irrit. 2 - H319 Causes serious eye irritation.

Germ cell mutagenicity

Genotoxicity - in vitro Gene mutation: Negative. REACH dossier information.

Genotoxicity - in vivo Chromosome aberration: Negative. REACH dossier information.

Carcinogenicity

IARC carcinogenicity IARC Group 1 Carcinogenic to humans.

Reproductive toxicity

Reproductive toxicity - fertility Two-generation study - NOAEL 15 %, Oral, Mouse P REACH dossier information.

AC Pro Auto Air-Con Cleaner

Reproductive toxicity - development Maternal toxicity: - NOAEL: 16000 ppm, Inhalation, Rat REACH dossier information.

1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 4,640.0

Species Rat

Notes (oral LD₅₀) REACH dossier information.

ATE oral (mg/kg) 4,640.0

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ mg/kg) 10,000.0

Species Rat

Notes (dermal LD₅₀) REACH dossier information.

ATE dermal (mg/kg) 10,000.0

Skin corrosion/irritation

Animal data Dose: 0.5 ml, 1 hour, Rabbit Erythema/eschar score: Well defined erythema (2). Oedema score: Very slight oedema - barely perceptible (1). REACH dossier information. Not irritating.

Serious eye damage/irritation

Serious eye damage/irritation Dose: 0.1 ml, 7 days, Rabbit REACH dossier information. Not irritating.

Skin sensitisation

Skin sensitisation Guinea pig maximization test (GPMT) - Guinea pig: Not sensitising. REACH dossier information.

Germ cell mutagenicity

Genotoxicity - in vitro Chromosome aberration: Negative. REACH dossier information.

Reproductive toxicity

Reproductive toxicity - development Developmental toxicity: - NOAEL: 150 mg/kg/day, Oral, Rat Developmental toxicity: - LOAEL: 500 mg/kg/day, Oral, Rat REACH dossier information.

tetramethyl acetyloctahydronaphthalenes

Skin corrosion/irritation

Animal data Skin Irrit. 2 - H315 Causes skin irritation.

Skin sensitisation

Skin sensitisation Skin Sens. 1 - H317 May cause an allergic skin reaction.

1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one

Acute toxicity - oral

AC Pro Auto Air-Con Cleaner

Acute toxicity oral (LD₅₀ mg/kg) 920.0

Species Rat

Notes (oral LD₅₀) REACH dossier information.

ATE oral (mg/kg) 920.0

Skin corrosion/irritation

Animal data Dose: 0.5 g, 4 hours, Rabbit Erythema/eschar score: No erythema (0). Oedema score: No oedema (0). REACH dossier information. Not irritating.

Serious eye damage/irritation

Serious eye damage/irritation Dose: 0.1 g, 24 hours, Rabbit REACH dossier information. Slightly irritating. Based on available data the classification criteria are not met.

Skin sensitisation

Skin sensitisation - Guinea pig: Not sensitising. REACH dossier information.

Germ cell mutagenicity

Genotoxicity - in vitro Bacterial reverse mutation test: Negative. REACH dossier information.

cedryl methyl ketone

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 4,500.0

Species Rat

Notes (oral LD₅₀) REACH dossier information.

ATE oral (mg/kg) 4,500.0

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ mg/kg) 5,001.0

Species Rabbit

Notes (dermal LD₅₀) LD₅₀ >5000 mg/kg, Dermal, Rabbit REACH dossier information.

ATE dermal (mg/kg) 5,001.0

Skin corrosion/irritation

Human skin model test Dose: 10 µl, 15 ± 0.5 minutes, Cell Viability (76.2 ± 4.6%) REACH dossier information. Not irritating.

Serious eye damage/irritation

Serious eye damage/irritation Dose: 0.1 ml, 24 hours, Rabbit REACH dossier information. Not irritating.

Skin sensitisation

Skin sensitisation Local Lymph Node Assay (LLNA) - Mouse: Sensitising. REACH dossier information.

Germ cell mutagenicity

AC Pro Auto Air-Con Cleaner

Genotoxicity - in vitro Bacterial reverse mutation test: Negative. REACH dossier information.

Reproductive toxicity

Reproductive toxicity - development Developmental toxicity: - NOAEL: 100 mg/kg/day, Oral, Rat REACH dossier information.

SECTION 12: Ecological information

12.1. Toxicity

Toxicity Aquatic Chronic 3 - H412 Harmful to aquatic life with long lasting effects.

Ecological information on ingredients.

Hydrocarbons, C3-4-rich, petroleum distillate

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 96 hours: 49.47 mg/l, Fish
REACH dossier information.
QSAR

ethanol

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 96 hours: 14200 mg/l, Pimephales promelas (Fat-head Minnow)
REACH dossier information.

Acute toxicity - aquatic invertebrates LC₅₀, 48 hours: 5012 mg/l, Ceriodaphnia dubia
REACH dossier information.

Acute toxicity - aquatic plants EC₅₀, 72 hours: 11.5 mg/l, Chlorella vulgaris
REACH dossier information.

Chronic aquatic toxicity

Chronic toxicity - aquatic invertebrates NOEC, 9 days: 9.6 mg/l, Daphnia magna
REACH dossier information.

1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran

Acute aquatic toxicity

LE(C)₅₀ 0.1 < L(E)C₅₀ ≤ 1

M factor (Acute) 1

Acute toxicity - fish NOEC, 21 days: 0.093 mg/l, Lepomis macrochirus (Bluegill)
LOEC, 21 days: 0.182 mg/l, Lepomis macrochirus (Bluegill)
LC₅₀, 96 hours: 1.36 mg/l, Lepomis macrochirus (Bluegill)
REACH dossier information.

Acute toxicity - aquatic invertebrates LC₅₀, 48 hours: 0.47 mg/l, Acartia tonsa
REACH dossier information.

Acute toxicity - aquatic plants NOEC, 72 hours: 0.201 mg/l, Pseudokirchneriella subcapitata
LOEC, 72 hours: 0.466 mg/l, Pseudokirchneriella subcapitata
EC₅₀, 72 hours: 0.723 mg/l, Pseudokirchneriella subcapitata
REACH dossier information.

AC Pro Auto Air-Con Cleaner

Acute toxicity - terrestrial NOEC, 56 days: 45 mg/kg, Eisenia Fetida (Earthworm)
 LOEC, 28 days: 105 mg/kg, Eisenia Fetida (Earthworm)
 NOEC, 28 days: 105 mg/kg, Eisenia Fetida (Earthworm)
 REACH dossier information.

Chronic aquatic toxicity

NOEC 0.01 < NOEC ≤ 0.1

Degradability Non-rapidly degradable

M factor (Chronic) 1

Chronic toxicity - fish early life stage NOEC, 21 days: 0.093 mg/l, Lepomis macrochirus (Bluegill)
 LOEC, 21 days: 0.182 mg/l, Lepomis macrochirus (Bluegill)
 LC₅₀, 21 days: 0.452 mg/l, Lepomis macrochirus (Bluegill)
 REACH dossier information.

Chronic toxicity - aquatic invertebrates NOEC, 5.5 days: 0.0375 mg/l, Acartia tonsa
 LOEC, 5.5 days: 0.075 mg/l, Acartia tonsa
 EC₅₀, 5.5 days: 0.131 mg/l, Acartia tonsa
 REACH dossier information.

tetramethyl acetyloctahydronaphthalenes

Toxicity Aquatic Chronic 1 - H410 Very toxic to aquatic life with long lasting effects.

Chronic aquatic toxicity

M factor (Chronic) 1

1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one

Acute aquatic toxicity

LE(C)₅₀ 0.1 < L(E)C₅₀ ≤ 1

M factor (Acute) 1

Acute toxicity - aquatic plants EC₅₀, 72 hours: 0.612 mg/l, Pseudokirchneriella subcapitata
 LOEC, 72 hours: 0.605 mg/l, Pseudokirchneriella subcapitata
 NOEC, 72 hours: 0.278 mg/l, Pseudokirchneriella subcapitata
 REACH dossier information.

Chronic aquatic toxicity

M factor (Chronic) 1

Chronic toxicity - aquatic invertebrates EC₅₀, 21 days: 0.244 mg/l, Daphnia magna
 NOEC, 21 days: 0.196 mg/l, Daphnia magna
 LOEC, 21 days: 0.401 mg/l, Daphnia magna
 IC₅₀, 21 days: 0.3413 mg/l, Daphnia magna
 REACH dossier information.

cedryl methyl ketone

Acute aquatic toxicity

LE(C)₅₀ 0.1 < L(E)C₅₀ ≤ 1

M factor (Acute) 1

AC Pro Auto Air-Con Cleaner

Acute toxicity - fish	LC ₅₀ , 96 hours: 2.3 mg/l, Pimephales promelas (Fat-head Minnow) REACH dossier information.
Acute toxicity - aquatic invertebrates	EC ₅₀ , 48 hours: 0.86 mg/l, Daphnia magna REACH dossier information.
Acute toxicity - aquatic plants	EC ₁₀ , 96 hours: 0.49 mg/l, Selenastrum capricornutum EC ₅₀ , 96 hours: 2.8 mg/l, Selenastrum capricornutum NOEC, 96 hours: 1.07 mg/l, Selenastrum capricornutum REACH dossier information.
<u>Chronic aquatic toxicity</u>	
M factor (Chronic)	1
Chronic toxicity - aquatic invertebrates	NOEC, 21 days: 0.087 mg/l, Daphnia magna EC ₅₀ , 21 days: 0.29 - 0.32 mg/l, Daphnia magna REACH dossier information.

12.2. Persistence and degradability

Persistence and degradability The degradability of the product is not known.

Ecological information on ingredients.

Hydrocarbons, C3-4-rich, petroleum distillate

Phototransformation	Water - DT ₅₀ : 1906 days REACH dossier information. Calculation method.
Biodegradation	Water - Degradation (100%): 385.5 hours REACH dossier information. The substance is readily biodegradable.

ethanol

Biodegradation	Water - Degradation (74%): 10 days REACH dossier information. The substance is readily biodegradable.
Chemical oxygen demand	1.99 g O ₂ /g substance REACH dossier information.

1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran

Phototransformation	Water - DT ₅₀ : 3.7 - 4.9 hours REACH dossier information.
Biodegradation	Water - Half-life : < 120 days Water - Degradation (60%): 28 days Water - Half-life : 100 hours Water - Degradation (~2%): 28 days REACH dossier information. No biodegradation observed under test conditions.
Biological oxygen demand	~ 3 g O ₂ /g substance REACH dossier information.

1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one

AC Pro Auto Air-Con Cleaner

Biodegradation Water - ThOD (21%): 21 days
REACH dossier information.

cedryl methyl ketone

Biodegradation Water - Degradation (36%): 28 days
The product is not readily biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

Partition coefficient Not determined.

Ecological information on ingredients.

Hydrocarbons, C3-4-rich, petroleum distillate

Partition coefficient log Pow: 2.3058 REACH dossier information. QSAR

ethanol

Partition coefficient log Pow: - 0.35 REACH dossier information.

1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran

Bioaccumulative potential BCF: 1584, Lepomis macrochirus (Bluegill) REACH dossier information.

Partition coefficient log Pow: 5.3 REACH dossier information.

1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one

Partition coefficient log Pow: 5.7 REACH dossier information.

cedryl methyl ketone

Bioaccumulative potential BCF: 3920, Oncorhynchus mykiss (Rainbow trout) REACH dossier information.

Partition coefficient log Pow: 5.6 - 5.9 REACH dossier information.

12.4. Mobility in soil

Mobility The product is insoluble in water.

Ecological information on ingredients.

ethanol

Surface tension 24.5 mN/m @ 20°C/68°F REACH dossier information.

1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran

Adsorption/desorption coefficient Activated sludge - log Koc: 4.87 REACH dossier information.

cedryl methyl ketone

Adsorption/desorption coefficient Water - log Koc: 3.5 - 5.1 @ 25°C REACH dossier information.

12.5. Results of PBT and vPvB assessment

AC Pro Auto Air-Con Cleaner

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects Not determined.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information Dispose of waste product or used containers in accordance with local regulations Do not puncture or incinerate, even when empty.

Disposal methods Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of the local water authority.

SECTION 14: Transport information

14.1. UN number

UN No. (ADR/RID)	1950
UN No. (IMDG)	1950
UN No. (ICAO)	1950
UN No. (ADN)	1950

14.2. UN proper shipping name

Proper shipping name (ADR/RID)	AEROSOLS
Proper shipping name (IMDG)	AEROSOLS
Proper shipping name (ICAO)	AEROSOLS
Proper shipping name (ADN)	AEROSOLS

14.3. Transport hazard class(es)

ADR/RID class	2.1
ADR/RID classification code	5F
ADR/RID label	2.1
IMDG class	2.1
ICAO class/division	2.1
ADN class	2.1

Transport labels



14.4. Packing group

ADR/RID packing group	None
IMDG packing group	None
ICAO packing group	None
ADN packing group	None

AC Pro Auto Air-Con Cleaner

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

EmS F-D, S-U

ADR transport category 2

Tunnel restriction code (D)

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations EH40/2005 Workplace exposure limits.
The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended).
The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/720 (as amended).

Explosives precursors Regulated explosives precursor. Regulation (EU) No 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors:
Contains a substance or substances listed in Annex II: acetone 25 - <50%

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.
RID: European Agreement concerning the International Carriage of Dangerous Goods by Rail.
IMDG: International Maritime Dangerous Goods.
IATA: International Air Transport Association.
ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways.
ATE: Acute Toxicity Estimate.
DNEL: Derived No Effect Level.
LC50: Lethal Concentration to 50 % of a test population.
LD50: Lethal Dose to 50% of a test population (Median Lethal Dose).
PBT: Persistent, Bioaccumulative and Toxic substance.
vPvB: Very Persistent and Very Bioaccumulative.
BCF: Bioconcentration Factor.

Classification procedures according to SI 2019 No. 720 Aerosol 1 - H222, H229: Expert judgement. Eye Irrit. 2 - H319, Aquatic Chronic 3 - H412: Calculation method.

Revision comments Product name change.

Revision date 11/11/2020

Revision 7

Supersedes date 11/08/2020

AC Pro Auto Air-Con Cleaner

SDS number	595
Hazard statements in full	H220 Extremely flammable gas. H222 Extremely flammable aerosol. H225 Highly flammable liquid and vapour. H229 Pressurised container: may burst if heated. H280 Contains gas under pressure; may explode if heated. H302 Harmful if swallowed. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. EUH208 Contains tetramethyl acetyloctahydronaphthalenes, cedryl methyl ketone, hydroxyisohexyl 3-cyclohexene carboxaldehyde. May produce an allergic reaction.

The information supplied here is accurate to the best knowledge and belief of Energizer Trading Ltd, it is however, not intended as a warranty or representation, and should not be construed as such, for which Energizer Trading Ltd assumes any legal responsibility. Any information or advice obtained from Energizer Trading Ltd other than by means of this publication, and whether relating to Energizer Trading Ltd's products or other materials is also given in good faith. It remains at all times the responsibility of the customer, and user, to ensure that the materials are suitable for the particular purpose intended. Materials not manufactured, or supplied, by Energizer Trading Ltd when used instead of, or in conjunction with materials supplied by Energizer Trading Ltd, it is the customer's responsibility to ensure that all technical, and other information related to such materials is obtained from the manufacturer or supplier. Energizer Trading Ltd accepts no liability for the data contained within this document, as the information herein may be applied under conditions beyond our control, and in situations with which we may be unfamiliar. The information contained within this document is furnished upon condition that the customer and user of this product makes his own determination of the suitability of the product for his particular purpose.