



SCRUBBER DRYERS - WALK BEHIND

# CT40

MAX PRODUCTIVITY

2475

m<sup>2</sup>/h

BATTERIES RUNNING TIME

2,5 h

WATER TANK RUNNING TIME

45' working session

**TELEMATICS GPS** (opt)  
GEOLOCATION OF ALL YOUR MACHINES



ROLLER VERSION



BATTERIES AND BATTERY CHARGER NOT INCLUDED

MOST FREQUENTLY USE



INNOVATIONS



DBL™  
DOUBLE  
BATTERY  
LIFE



ECS™  
ECO COST  
CLEANING  
SOLUTION



SLST™  
SELF  
LEVELING  
SYSTEM



BACTERIA  
CONTROL



TELEMATICS  
GPS

SPECS



INTUITIVE CONTROL PANEL



SEPARATE DETERGENT DOSING SYSTEM. (OPTIONAL)



ANTI-FOAM SYSTEM WITH SPECIAL ELECTROMECHANICAL SUCTION MOTOR PROTECTION

## TECHNICAL DATA

		CT40 B50	CT40 BT50	CT40 C50	CT40 BT55R	CT40 BT50 ECS
Code		LPTB01406	LPTB01408	LPTB00546	LPTB01411	LPTB01475
<b>PERFORMANCE</b>						
Max theoretical productivity	m <sup>2</sup> /h	1750	2250	1750	2475	1800
Cleaning path	mm	500	500	500	550	500
Water tank capacity (solution recovery)	l	40/50	40/50	40/50	40/50	40/50
Max running time	min	150	140	Unlimitess	140	150
Voltage	V-Ah	24(2x12)-105 GEL	24(2x12)-105 GEL	230-50	24(2x12)-105 GEL	24(2x12)-105 GEL
Installed power	W	1030	1250	1100	2380	1100
Brush pressure	kg	18	18	23	13,6/18,6	18
Squeegee width	mm	815	815	815	815	815
Max speed	km/h	3,5	4,5	3,5	4,5	4,5
Weight	kg	67	73	83	100,5	76
Dimension (LxWxH)	mm	1230x516x960	1230x516x960	1230x516x960	1190x640x960	1230x516x960

## STANDARD EQUIPMENT

	CT40 C50	CT40 B50	CT40 BT50	CT40 BT55R	CT40 BT50 ECS
<b>BRUSHES</b>					
PPL SOFT	SPPV01498	SPPV01498	SPPV01498	-	SPPV01498
CYLINDRICAL BRUSH - PPL SOFT Ø 0,3 mm	-	-	-	SPPV01163	-
PAD HOLDER ECS	-	-	-	-	SPPV01161
MICROFIBRE DISC MAINTENANCE DESY	-	-	-	-	SPPV01256
<b>SQUEEGEE BLADES</b>					
LATEX FRONT BLADE	MPVR08039 - 880mm	MPVR08039 - 880mm	MPVR08039 - 880mm	MPVR08039 - 880mm	MPVR08042 - 815mm
LATEX REAR BLADE	MPVR08035 - 900mm	MPVR08035 - 900mm	MPVR08035 - 900mm	MPVR08035 - 900mm	MPVR08043 - 715mm

## CONSUMABLES (Codes available on price list)

### BRUSHES



### CYLINDRICAL BRUSHES



### PADS/SUPER PADS



### SQUEEGEE BLADES



## OPTIONAL ACCESSORIES

CODE: MECB42513

MAIN CABLE M/F  
SOCKET - 20 m  
[3X2,5 MM2 230V - 50HZ]



CODE: KTRI01763

CHEM DOSE KIT



CODE: KTRI01870

SOLUTION TANK DRAIN  
AND LEVEL HOSE KIT



CODE: MPVR05611

SPLASH GUARD



CODE: KTRI01573

DISCHARGE HOSE



CODE: KTRI02257

EXTERNAL SUCTION KIT



CODE: PRCH00578

BIOSAN RAPIDE WT  
(30PCS/30DAYS)



KIT TELEMATIC



CODE:KTRI06169

KIT TELEMATIC BASIC FOR B  
VERSIONS (NO TRACTION)

CODE:KTRI06167

KIT TELEMATIC BASIC FOR BT  
VERSIONS (WITH TRACTION)

CODE:KTRI06168

KIT TELEMATIC FULL FOR B  
VERSIONS (NO TRACTION)

CODE:KTRI06166

KIT TELEMATIC FULL FOR BT  
VERSIONS (WITH TRACTION)

## BATTERIES AND BATTERY CHARGERS

BATTERIES	N°	CHARACTERISTICS	DIMENSION	RUNNING TIME	BATTERY CHARGERS
IPC gel battery BAAC00105	2	12V 105 Ah (C5)	345x170x285	150 min	On board battery charger 24V 10 Ah - KTRI01703 Stand alone high frequency BLS010 - BACA00133
EXIDE gel battery BAAC00024	2	12V 105 Ah (C5)	345x174x283	150 min	On board battery charger 24V 10 Ah - KTRI01703 Stand alone high frequency BLS010 - BACA00133
Acid tubular plate BAAC00136	2	12V 85 Ah (C5)	308x175x225	160 min	On board battery charger 24V 10 Ah - KTRI01703 Stand alone high frequency BLS010 - BACA00133 Stand alone low frequency 24V 12 Ah - BACA00060
Dry charge flate plate BAAC00009	2	12V 105 Ah (C5)	261x171x210	160 min	On board battery charger 24V 10 Ah - KTRI01703 Stand alone high frequency BLS010 - BACA00133 Stand alone low frequency 24V 12 Ah - BACA00060
Acid tubular plate BAAC00070	2	12V 118 Ah (C5)	345x170x285	160 min	On board battery charger 24V 10 Ah - KTRI01703 Stand alone high frequency BLS010 - BACA00133 Stand alone low frequency 24V 12 Ah - BACA00060